
Comets and the Origin of Earth's Water





Darek Lis

JPL/Caltech

SOFIA Instrument Roadmap Workshop
June 24, 2020



Strategic Significance and Science Goals



Strategic Significance for the NASA Science Mission Directorate

- Understanding how the Earth obtained its water and whether water-rich Earth-like planets are common in the Universe is one of the central themes in NASA's vision
- The 2013 Planetary Decadal Survey *Vision and Voyages* explicitly identified "determining the deuterium/hydrogen and other crucial isotopic ratios in multiple comets" as key measurements for understanding Solar System beginnings


Overarching Science Goals


- Understand what governed the accretion, supply of water, and chemistry of the inner planets, and what role did bombardment play
- Understand pre-solar processes recorded in materials of primitive bodies
- Understand what were the initial stages, conditions, and processes of Solar System formation and the nature of interstellar matter that was incorporated


Credit: NASA/ESA


Cosmic Inheritance of Water

- Water, a key ingredient for life, forms efficiently on cold dust grain surfaces and is abundant in interstellar clouds.
- Are there universal pathways leading from this interstellar reservoir of water to forming planetary systems?
- Is the Solar System water content representative of other planetary systems, or has it been shaped by local processes?
- Cold water can be best studied via far-infrared spectroscopy















Once upon a time the Earth formed dry

Snow Line




Akeson (2011)




- Water mass fraction increases with distance from the Sun
- "Textbook model": temperature in the terrestrial planet zone too high for water ice to exist
- Water and organics were most likely delivered later by comets or asteroids
- Alternative: water could have survived, incorporated into olivine grains or through oxidation of an early H atmosphere by FeO in the magma ocean

Complex Solar System Dynamics



Walsh et al. 2011 Gomes et al. 2005; Tsiganis et al. 2005; Morbidelli et al. 2005

- Grand Tack Model: inward then outward migration of Jupiter and Saturn (~5 Myr)
- Nice Model: Saturn's migration into 2:1 orbital resonance with Jupiter — Late Heavy Bombardment (~800 Myr)




H. Levison (SwRI)


D/H in Water in the Solar Nebula

- Deuteration is a key fingerprint for tracing the origin and history of water
- Water was initially synthesized by interstellar chemistry with a high D/H ratio (>7.2×10⁻⁴; highest value measured in clay minerals)
- The D/H ratio in the solar nebula then gradually decreased with time
- Turbulent mixing of grains condensed at different epochs and locations in the solar nebula leads to a D/H gradient


- Other models show more complex time dependent behavior
- Need observational data, in particular for the outer Solar System



Horner et al. (2007)



Yang et al. (2013)



Isotopic Ratio Measurements








- Remote sensing statistical studies of objects that have atmospheres
- Sample return or in-situ detailed studies of individual objects

D/H Observations









- Comets: variations between one and three times the terrestrial value
- No trends with physical or dynamical parameters

D/H Distribution Inner vs. Outer Solar System



Robert (2006)

• D/H in the inner Solar System relatively well constrained by measurements in meteorites



- D/H in the outer Solar System poorly constrained few measurements with large uncertainties (15-40%, 1σ)
- Need better statistics!

Comet 46P/Wirtanen SOFIA/4GREAT









Image: V. Cheng

- Perihelion at 1.06 au from the Sun on 12/12/18
- Closest approach to the Earth at 0.08 au on 12/16/18
- Five SOFIA/4GREAT flights between 12/14 and 12/20 (GT+DDT)
- D/H = $(1.61\pm0.65)\times10^{-4}$ (including statistical, calibration, modeling, and $^{16}\text{O}/^{18}\text{O}$ ratio uncertainties)
- Third Jupiter-family comet with a terrestrial D/H ratio in water
- What is special about these comets?


Lis et al. (2019)

Hyperactive Comets




- Emit more water molecules than can be expected given the size of the nucleus
- Presence of sublimating water-ice-rich particles in the coma
- Archetype 103P/Hartley 2 studied by Deep Impact both icy grains and water overproduction were observed
- Active fraction: ratio of the active surface area to the total nucleus surface
- A comprehensive set of water production rates from SWAN on SOHO (Combi et al. 2019)

D/H vs. Active Fraction




- Comets with active fraction above 0.5 typically have terrestrial D/H ratios
- Large reservoir of ocean-like water in the outer Solar System

Possible Interpretations?



- (1) Hyperactive comets are ice-rich objects that formed just outside the snow line
- Observed anti-correlation between active fraction and nucleus size argues against this interpretation
- Planetesimals outside the snow line are expected to undergo rapid growth
- (2) Hyperactive comets formed in the outer Solar System from water thermally processed in the inner disk (Yang et al. model)
- (3) Isotopic properties of water outgassed directly from the nucleus and from icy grains may be different
- Need laboratory measurements

Summary



- Measurements of isotopic ratios in a large sample of comets, including Main Belt comets, are key for understanding the origin of the Earth's water
- Ultimately, Origins or a dedicated Discovery or Explorer class mission is needed to provide a statistically significant sample of measurements to accurately determine D/H in the outer Solar System
- However, with a focused long-term program, SOFIA can significantly increase the number of D/H measurements

© 2020 California Institute of Technology. Government sponsorship acknowledged.